



# Bobcat®

GENUINE PARTS

RUBBER TRACKS



***One Tough Animal®***

# RUBBER TRACKS



Maximize your Bobcat equipment productivity with high performing and durable Genuine rubber tracks, engineered, tested and proven specifically for your Excavator or Track Loader to not only withstand the most challenging environments, but also to deliver a softer ride and traction needed to bring out the machine's full capabilities.

To maximally ease track selection, we simplified Bobcat range and offer two main options to choose from - Premium and Standard to suit your needs and preferences. Conveniently, selected excavator's tracks offer extended warranty period up to 24 months or 2000 hours or even 36 months or 3000 hours.

## Bobcat Premium Rubber Tracks

At Bobcat, we always recommend using genuine Premium Bobcat rubber tracks, the same product as used in our serial production, engineered and verified to provide the best performance and longest service life. Thanks to our internal testing and partnering with the industry leading suppliers we are making sure these are the best tracks available on the market for each Bobcat machine.

- Developed and tested specifically for Bobcat equipment.
- Superior quality rubber tracks used in serial production.
- Longest service life ideal for high hours construction work.
- Minimal vibrations for operators' comfort thanks to vibration-mitigating technology.
- Premium excavators' tracks come with extended warranty period up to 24 months or 2000 hours or even 36 months or 3000 hours

## Bobcat Standard Rubber Tracks

We also realize that no-compromise approach to quality we apply to Premium tracks comes with the price, which cannot be always justified in the eyes of customer.


That's why we are offering a range of Bobcat Standard rubber tracks. These tracks are intended for less demanding applications, lower hours operation, or other situations when customer requires economical solution with Bobcat quality for less.

- Ideal solution for older machines, lower operating hours or less demanding applications.
- Economical alternative to Premium tracks.
- Slightly adapted Bobcat approved tracks, developed to correspond with market value.
- Standard Loader tracks use the same favored "C" pattern as Premium.
- Standard tracks expected service life is rated at 80 % of Premium tracks, based on usage in moderate working conditions.

## Track size indication

The track size is indicated by a size numbering system consisting of 3 values:

**Width (mm) × Pitch length (mm) × Number of links (total #)**






# BOBCAT COMPACT EXCAVATOR TRACKS

While compact excavator tracks are commonly used at lower speeds, and for less aggressive applications than a compact tracked loader, they can also be subjected to the same demanding working conditions, putting a lot of stress to the tracks.

Bobcat rubber tracks are designed to meet the operational and performance requirements of Bobcat excavators. Not only they will withstand tough operating conditions, they also provide a smooth ride and optimized operational costs, without sacrificing performance. Excavator rubber tracks come in two options for majority of machines. You have a choice between Premium and Standard tracks, each of them using the pattern selected with Bobcats' and our manufacturers' expertise.

## BOBCAT COMPACT EXCAVATOR TRACKS

MODEL	TRACK SIZE (width × pitch length × no. of links)	PREMIUM		STANDARD	
		PART NUMBER	TREAD PATTERN	PART NUMBER	TREAD PATTERN
316	180 × 72 × 38			7373948	G
418, E08, E10, E10e, E10z	180 × 72 × 39	7255246	E	7373949	F
319, E14	180 × 72 × 41			7373950	F
	200 × 72 × 41	7365328	L		
119, 120, 122	230 × 72 × 43			7373951	G
321, 323, E16, E17, E17z, E19	230 × 48 × 66	7259426	D	7373952	H
E20, E20z	230 × 48 × 72	7259427	D	7373953	H
E25	250 × 52.5 × 76	7298190	A		
E26	250 × 52.5 × 80	7320132	A		
225	320 × 100 × 40	6663953	B		
225, 325, 328	300 × 52.5 × 74			7030471	A
	320 × 52.5 × 74	6672773	A		
329, 331, 334, 428, 425, E26, E27, E27Z, E32, E34	300 × 52.5 × 80	7243364	A	7373954	I
E35	300 × 52.5 × 84	7275801	A	7373955	I
335, 430, E42	320 × 55 × 88			7373956	J
337, 341, 435, E45, E50, E55	400 × 73 × 74	7303382	C	7373957	K
E60, E62	400 × 72.5 × 76	7365330	C	7373958	K
442	450 × 71 × 86			7373959	K
E80, E85	450 × 81 × 76	7365331	C	7373960	H








# BOBCAT COMPACT LOADER TRACKS

Maximize your Bobcat Compact Track Loader performance with highly durable and Genuine Bobcat rubber tracks, designed to meet the most demanding expectations, provide a smooth ride and highest durability. Don't sacrifice ride comfort for added traction or longevity.

Bobcat tracks have been tested and proven to not only withstand the most challenging environments, but to also deliver a softer ride by distributing the machine's weight over a larger surface area. Our tracks offer the traction needed to bring out the loader's full capabilities.

BOBCAT COMPACT LOADER TRACKS							
MODEL	TRACK SIZE (width × pitch length × no. of links)	PREMIUM C PATTERN		STANDARD C PATTERN		MULTI BAR LUG	
		PART NUMBER	TREAD PATTERN	PART NUMBER	TREAD PATTERN	PART NUMBER	TREAD PATTERN
MT55	180 × 72 × 39	7009964	C	7030470	A		
	250 × 72 × 39	7009965	C				
T110	250 × 72 × 52	6688373	C				
T140, T450	300 × 84 × 46	6682177	C				
	320 × 84 × 46					6987675	B
T180, T190, T590	320 × 86 × 49	6680161	C	7316758	C		
	320 × 84 × 50					6988318	B
	400 × 86 × 49	6685650	C	7316759	C	7030194	B
T650	320 × 86 × 52	6680149	C	7316760	C		
	320 × 84 × 53					7261331	B
	450 × 86 × 52	6680150	C	7316761	C		
	450 × 84 × 53					6988320	B
T250, T300, T320, T770	320 × 86 × 55	6678748	C	7316762	C		
	450 × 86 × 55	6678749	C	7316763	C	7320105	B
T870 Roller Suspension	450 × 86 × 58	7277043	C	7316764	C		
	450 × 84 × 60					6989042	B
T870 Torsion Suspension	450 × 60 × 86	7266334	C	7316765	C		




# BOBCAT COMPACT LOADERS TRACKS THREAD PATTERNS

For loaders we stick to proven “C” pattern across the machines range, offered both in Premium and Standard version. MBL tracks pattern is offered in case increased traction in wet or loose condition is needed.

The choice between Narrow and Wide “C” tracks give you an option to adapt machines’ characteristics according to terrain or application. For increased ground pressure, added traction and more pushing force, choose a narrow track. Wide tracks are a good choice when lower ground pressure and flotation is desired.

## Premium C-pattern

The best durability and performance in an all-season use the market has to offer. One of the most versatile, no compromise, tracks on used also in serial production. Provides superior traction in most applications.




### Recommended uses:

- Great for all high hours construction work and heavy-duty applications.
- Excellent in dirt, mud, rock, and demolition
- Not recommended for snow


## Standard C-pattern

The track offers durability and traction all-season use in more economy package. It is the same pattern as used in production and one of the most versatile on the market, performing well in all different types of applications.



### Recommended uses:

- Great for all general construction work
- Excellent in dirt and mud
- Not recommended for snow or extremely rocky conditions.




## Multi-bar lug pattern

Durable all-season track that providing superior traction in wet conditions and extended wear life on hard flat surfaces.

### Recommended uses:

- Great for all general construction work
- Excellent in sand and dirt or snow
- Not recommended for extremely rocky conditions



## V-shaped pattern

Deep V-shaped tread pattern inspired by agricultural tracks provides outstanding traction in muddy and soft dirt applications while providing a stable, comfortable ride and excellent clean out.

# CHOOSING THE RIGHT TRACKS FOR COMPACT TRACK LOADERS


**At Bobcat, we always recommend using Bobcat rubber tracks instead of uncertified, unapproved tracks**

The manufacturing technology is a sophisticated combination of special kinds of rubber, vulcanized along with steel embeds and loops of steel cords. Designing the right shape, pattern, depth and well-specified rubber materials guarantees long life, low ground pressure, and high traction. Thanks to our expertise in testing, we always collaborate with our Bobcat suppliers to optimize the components for our machines – and the rubber tracks are no exception.

## USE GENUINE BOBCAT RUBBER TRACKS TO GET THE MOST OUT OF YOUR INVESTMENT

With genuine Bobcat rubber tracks you will benefit from lower operational costs and highest productivity. Furthermore, they offer more comfort and longer tread wear than uncertified, unapproved aftermarket tracks.

Follow the below recommendation to choose the best track for you based on your application and expected operating hours.



\* Hour ratings listed above are based on usage in moderate working conditions

	ROCK	DIRT	SAND	CONCRETE	DEMOLITION	TURF	SNOW	MUD	SLOPED	CLAY
PREMIUM C-PATTERN	●	●	●	●	●	●	○	●	●	●
STANDARD C-PATTERN	●	●	●	●	●	●	○	●	●	●
MULTI-BAR LUG PATTERN	●	●	●	●	○	●	●	●	○	●

● Best   ● Better   ○ Good

# RUBBER TRACKS DAMAGE PREVENTION AND MAINTENANCE

Even though Bobcat machines operate in the harshest conditions, it is important to avoid improper applications or usage in combination with poor maintenance and incorrect track tension.

To achieve optimal track tension, we test and validate the correct interaction with undercarriage components. Our specialized engineering and testing teams conduct rigorous and demanding validation processes, both in the laboratory and in the field.

For performance and durability field tests – in real-life conditions with mud, sand and rocks – we use our testing polygon with which we focus on common failure modes and simulate extreme operation of the machine – such as working in rocky conditions, driving over a curb, steep slope retention, and simulating de-tracking.

**Excavator usage likely to cause track damage while recommended tension and system conditions aren't maintained.**



#### SHARP OBJECTS

Risk of damaging lugs and main cable.



#### UNEVEN SURFACES

Risk of detacking with lug/core damage.




#### SLIPPAGE

Load & speed appropriate to avoid rapid tread wear.



#### HITTING WITH BUCKET

Risk of lug, core and/or main cable damage.



#### SPOT TURNING

Risk of detacking with possibility of lug and core damage.




#### OPERATION ON A SLOPE

Risk of detacking or excessive damage to lugs.



#### TRACK EDGE IN CURBLINE

Extreme side wear and possible damage to iron core.



#### MACHINE ASTRIDE A TRENCH

Possible lug and/or iron core damage.

- Maintaining recommended track tension as described in machine operation manual helps maximize the track life. Regular cleaning and maintenance of the entire track system is essential to ensure a long lifespan.
- Warranty covers defects in material and workmanship but not damage from use or installation because of misapplication, misuse, negligence, alteration, accident, field and road hazard, overload, mismatching of opposite side tracks, use of non-genuine undercarriage components, or poor mechanical condition, maintenance or adjustment.

# BOBCAT PREMIUM EXCAVATOR TRACKS WARRANTY CONDITIONS



Selected Bobcat Premium excavator rubber tracks are covered by up to 36 months or 3000 hours warranty for the highest convenience and piece of mind. Warranty covers disabling defects in materials and workmanship that appeared under proper usage conditions.



## PREMIUM EXCAVATOR TRACKS WARRANTY CONDITIONS

All Bobcat tracks have been created to enhance productivity and provide the lowest operating cost for any type of application. We are confident that Bobcat excavator tracks meet the most stringent criteria and are guaranteed to be free from defects due to materials or workmanship. To give you the peace of mind, we are backing selected excavator tracks by extended warranty period.

- Premium quality tracks with extended warranty period up to 24 months or 2000 hours or even 36 months or 3000 hours\*
- Optimum comfort with less vibration and noise
- Market leading longevity and durability
- High-tensile steel wires resistant to cutting and stretching
- Advanced compounds to provide highest impact absorption
- Enhanced carcass edge protection prolongs track life

For more information regarding the Parts Warranty Policy and details about Eligibility, Coverage, Obligations and Exclusions, please refer to BOBCAT STANDARD WARRANTY POLICY (6720983).

WARRANTY CONDITIONS			
MODEL	PART NO	MONTHS OF SERVICE	HOURS LIMIT
E08, E10	7255246	24	2000
E14	7365328	24	2000
E17, E17z, E19	7259426	24	2000
E20	7259427	24	2000
E25	7298190	24	2000
E25 (K2)	7320132	24	2000
E26, E32	7243364	24	2000
E35	7275801	24	2000
E45, E50, E55	7303382	24	2000
E60, E62	7365330	36	3000
E80	7365331	36	3000

Hours / Months – whichever comes first. If months of service are not known, manufacturing date will be used.



**Bobcat is a Doosan Company.**  
Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries.  
©2020 Bobcat Company. All Rights Reserved.



**Bobcat**®

[www.bobcat.com](http://www.bobcat.com)

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

